Version: 2 (03/08/2019)

ALLERGEN DECLARATION

Substances considered as fragrance allergens according to Cosmetic Regulation (EC) No. 1223/2009, Annex III, reference numbers 67-92.

MINT & ROSE FRAGRANCE

Ingredient Name	CAS	Concentration (%)
ALPHA-ISOMETHYL IONONE	127-51-5	4.200%
AMYL CINNAMAL	122-40-7	n.d.
AMYLCINNAMYL ALCOHOL	101-85-9	n.d.
ANISE ALCOHOL	105-13-5	n.d.
BENZYL ALCOHOL	100-51-6	n.d.
BENZYL BENZOATE	120-51-4	22.400%
BENZYL CINNAMATE	103-41-3	n.d.
BENZYL SALICYLATE	118-58-1	n.d.
BUTYLPHENYL METHYLPROPIONAL	80-54-6	n.d.
CINNAMAL	104-55-2	n.d.
CINNAMYL ALCOHOL	104-54-1	n.d.
CITRAL	5392-40-5	0.227%
CITRONELLOL	106-22-9	1.027%
COUMARIN	91-64-5	n.d.
EUGENOL	97-53-0	2.000%
EVERNIA FURFURACEA EXTRACT	90028-67-4, 68648- 41-9, 68917-40-8	n.d.
EVERNIA PRUNASTRI EXTRACT	90028-68-5, 9000- 50-4	n.d.
FARNESOL	4602-84-0	n.d.
GERANIOL	106-24-1	0.485%
HEXYL CINNAMAL	101-86-0	n.d.
HYDROXYCITRONELLAL	107-75-5	n.d.
HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	31906-04-4, 51414- 25-6	n.d.
ISOEUGENOL	97-54-1	n.d.
LIMONENE	5989-27-5	0.738%
LINALOOL	78-70-6, 126-91-0	3.104%
METHYL 2-OCTYNOATE	111-12-6	n.d.

(n.d. = not detectable. Detection limit is 10ppm)

This declaration is a result of a calculated analysis of the formulation. These calculated concentrations do not replace chromatographic quantification on individual batches. Please note that the information contained herein is provided in good faith and is, to the best of our current knowledge, true and accurate at the time it is given, and may be subject to change. We are not liable for any damages that may result from the misuse of this data. It is the responsibility of the person(s) placing the finished product on the market to perform their own evaluation including with respect to finished product applications. Any Customer product, marketing or other claims are the Customer's ultimate responsibility.





Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

MINT & ROSE FRAGRANCE **Product:**

Version: 4

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: MINT & ROSE FRAGRANCE (Contains:ALPHA-ISOMETHYL IONONE,

GERANIOL, GERANYL ACETATE, LINALOOL)

Other identifiers:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Imperial Supply Ltd Company name:

Company address:

Common Lane Kenilworth CV8 2EL United Kingdom

info@craftovator.co.uk

Contact:

E-Mail address:

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

danger:

Class and category of Skin Corrosion / Irritation Category 2 Eye Damage / Irritation Category 2

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Signal word: Warning

Imperial Supply Ltd, Common Lane, Kenilworth, CV8 2EL





Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT AND ROSE FRAGRANCE 830583

Version: 4

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H319, Causes serious eye irritation.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains 2,4-DIMETHYL-3-CYCLOHEXENE CARBOXALDEHYDE, 4-TERT-BUTYLCYCLOHEXYL ACETATE, ACETYLCEDRENE, BETA-PINENES, CEDROL METHYL ETHER, CITRAL, CITRONELLOL, EUCALYPTOL, EUGENOL, ISOMENTHONE, L-BETA-PINENE, L-LIMONENE, L-MENTHANONE, LIMONENE, NEROL, NERYL ACETATE,

TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES. May produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P337/313, If eye irritation persists: Get medical advice/attention. P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.

Pictograms:



Other hazards: Hydrocarbon Concentration %: 1.493%

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008
BENZYL BENZOATE	120-51-4	204-402-9		20-<50%	ATO 4-EH A1-EH C2; H302-H400-H411,-
GERANYL ACETATE	105-87-3	203-341-5	01-2119973480-35-xxxx	5-<10%	SCI 2-SS 1-EH C3; H315-H317-H412,-

Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		1-<5%	SS 1B-EH C2;H317- H411,-
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
4-TERT- BUTYLCYCLOHEXYL ACETATE	32210-23-4	250-954-9	01-2119976286-24-xxxx	1-<5%	SS 1B;H317,-
EUGENOL	97-53-0	202-589-1		1-<5%	EDI 2-SS 1B;H317- H319,-
TERPINEOL	8000-41-7	232-268-1	01-2119553062-49-xxxx	1-<5%	SCI 2-EDI 2;H315- H319,-
METHYL ALPHA- IONONE ISOMERS	1335-46-2	215-635-0		1-<5%	SCI 2-EH C2;H315- H411,-
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 68155-66-8, 68155-67-9	259-174-3, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	1-<5%	SCI 2-SS 1B-EH C1; H315-H317-H410,-
CITRONELLOL	106-22-9	203-375-0	01-2119453995-23-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
BENZYL ACETATE	140-11-4	205-399-7		1-<5%	EH C3;H412,-
CIS-2-TERT- BUTYLCYCLOHEXYL ACETATE	20298-69-5	243-718-1	01-2119970713-33-xxxx	1-<5%	EH C2;H411,-
LIMONENE	5989-27-5	227-813-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410
CEDROL METHYL ETHER	19870-74-7	243-384-7		0.1-<1%	SS 1B-EH A1-EH C1; H317-H410,-
NEROL	106-25-2	203-378-7		0.1-<1%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	0.1-<1%	SCI 2-EDI 1-SS 1; H315-H317-H318,-
L-MENTHANONE	14073-97-3	237-926-1		0.1-<1%	SCI 2-SS 1B;H315- H317,-
CITRAL	5392-40-5	226-394-6	01-2119462829-23-xxxx	0.1-<1%	SCI 2-EDI 2-SS 1; H315-H317-H319,-
NERYL ACETATE	141-12-8	205-459-2		0.1-<1%	SCI 2-SS 1B;H315- H317,-
L-BETA-PINENE	18172-67-3	242-060-2		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410
2,4-DIMETHYL-3- CYCLOHEXENE CARBOXALDEHYDE	68039-49-6	268-264-1		0.1-<1%	SCI 2-EDI 2-SS 1B-EH C2;H315-H317-H319- H411,-
ISOMENTHONE	491-07-6	207-727-4		0.1-<1%	SCI 2-SS 1B;H315- H317,-
EUCALYPTOL	470-82-6	207-431-5		0.1-<1%	FL 3-SS 1B;H226- H317,-
BETA-PINENES	127-91-3	204-872-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
L-LIMONENE	5989-54-8	227-815-6	01-2119958629-18-xxxx	0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C1;H226- H304-H315-H317- H410,-
ACETYLCEDRENE	32388-55-9	251-020-3		0.1-<1%	SS 1B-EH A1-EH C1; H317-H410,-
ACETYL HEXAMETHYL TETRALIN (AHTN)	21145-77-7, 1506-02-1	244-240-6, 216-133-4		0.1-<1%	ATO 4-EH A1-EH C1; H302-H410,-

Substances with Community workplace exposure limits:

Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

Name	CAS	EC	%
DIETHYL PHTHALATE	84-66-2	201-550-6	20-<50%

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.





Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	Value
DIETHVI DUTHALATE	94 66 2		Long-term exposure limit (8-hour TWA) (mg/m3)	5
DIETHYL PHTHALATE 84-66-2		Short-term exposure limit (15- minute) (mg/m3)	10	

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is





Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Clear colourless to pale yellow liquid

Odour:

Odour threshold:

Not determined

PH:

Not determined

Flash point: 95 °C

Evaporation rate: Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: 0.04250397 mmHg Vapour density: Not determined 1.0420 - 1.0460 Relative density: Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined Not determined **Auto-ignition temperature: Decomposition temperature:** Not determined Viscosity: Not determined **Explosive properties:** Not expected Not expected Oxidising properties:

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

Page 7 (10)

Issue date: 24/09/2019 Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity:Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 2Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
BENZYL BENZOATE	120-51-4	204-402-9	1500	4000	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available **12.3 Bioaccumulative potential:** Not available

Imperial Supply Ltd, Common Lane, Kenilworth, CV8 2EL

Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: UN3082

14.2 UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(BENZYL BENZOATE, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES)

14.3 Transport hazard class(es): 9

Sub Risk: -

14.4. Packing Group:

14.5 Environmental hazards: This is an environmentally hazardous substance.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: EH C2=40.09% EH C3=3.95% EH C4=59.95% SCI 2=57.69% EDI 2=77.

05% EDI 2A=67.67% SS 1=12.50%

Total Fractional Values: EH C2=2.49 EH C3=25.30 EH C4=1.67 SCI 2=1.73 EDI 2=1.30 EDI 2A=1.

48 SS 1=8.00

Key to revisions:

SECTION 3: Composition/information on ingredients

Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1

Imperial Supply Ltd, Common Lane, Kenilworth, CV8 2EL

Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

EDI 1 Eye Damage / Irritation Category 1 EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable Liquid, Hazard Category 3 FL 3 Flammable liquid and vapour. H302 Harmful if swallowed. May be fatal if swallowed and enters airways. H304 May be fatal if swallowed and enters airways. Causes skin irritation. H315 Causes skin irritation. H316 Causes serious eye damage. Causes serious eye irritation. Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, vertilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. P272 Contaminated work clothing shoul not be allowed out of the workplace.	ATO 4	Acute Toxicity - Oral Category 4
EDI 2 Eye Damage / Irritation Category 2 EH A1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FILO 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FILO 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FILO 3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FILO 3 FIlo 4 FIlo 4 FILO 4 FILO 4 FILO 5 FILO 6 FILO 7 FILO 6 FILO		
HA1 Hazardous to the Aquatic Environment - Acute Hazard Category 1 HEH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 HAZARDOUS to the Aquatic Environment - Long-term Hazard Category 2 HAZARDOUS to the Aquatic Environment - Long-term Hazard Category 3 HAZARDOUS to the Aquatic Environment - Long-term Hazard Category 3 FL3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 HAZARDOUS Flammable liquid and vapour. HA302 Harmful if swallowed. HA304 May be fatal if swallowed and enters airways. HA315 Causes skin irritation. HA317 May cause an allergic skin reaction. Causes serious eye damage. HA318 Causes serious eye damage. HA319 Causes serious eye irritation. HA400 Very toxic to aquatic life. HA410 Very toxic to aquatic life with long lasting effects. HA411 Toxic to aquatic life with long lasting effects. HA412 Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing vapour or dust. Wash hands and other contacted skin thoroughly after handling. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace.		
EH C1 Hazardous to the Aquatic Environment - Long-term Hazard Category 1 EH C2 Hazardous to the Aquatic Environment - Long-term Hazard Category 2 EH C3 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL 3 Flammable Liquid,		
Hazardous to the Aquatic Environment - Long-term Hazard Category 2 Hazardous to the Aquatic Environment - Long-term Hazard Category 3 FL3 Flammable Liquid, Hazard Category 3 FL3 Flammable liquid and vapour. H326 Flammable liquid and vapour. H330 May be fatal if swallowed. H3304 May be fatal if swallowed and enters airways. H3315 Causes skin irritation. H3317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H4400 Very toxic to aquatic life. H4410 Very toxic to aquatic life with long lasting effects. H4411 Toxic to aquatic life with long lasting effects. H4412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. Ground/bond container and receiving equipment. H224 Use explosion-proof electrical, ventilating and lighting equipment. H224 Use explosion-proof electrical, ventilating and lighting equipment. H225 Take precautionary measures against static discharge. H226 Wash hands and other contacted skin thoroughly after handling. H2270 Do not eat, drink or smoke when using this product. H2272 Contaminated work clothing should not be allowed out of the workplace.		
Hazardous to the Aquatic Environment - Long-term Hazard Category 3 Flammable Liquid, Hazard Category 3 Flammable liquid and vapour. Harmful if swallowed. Harmful if swallowed and enters airways. Hais Causes skin irritation. Hais Causes skin irritation. Hais Causes skin leritation. Hais Causes serious eye damage. Causes serious eye irritation. Hais Causes serious eye irritation. Very toxic to aquatic life. Hait Very toxic to aquatic life with long lasting effects. Hait Toxic to aquatic life with long lasting effects. Hait Toxic to aquatic life with long lasting effects. Hait Causes serious eye irritation. Hait Causes serious eye irrita		
FL 3 Flammable Liquid, Hazard Category 3 H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. Ground/bond container and receiving equipment. H224 Use explosion-proof electrical, ventilating and lighting equipment. H224 Use only non-sparking tools. H224 Take precautionary measures against static discharge. H226 Wash hands and other contacted skin thoroughly after handling. H2270 Do not eat, drink or smoke when using this product. H2272 Contaminated work clothing should not be allowed out of the workplace. H2273 Avoid release to the environment.		
H226 Flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.		
Harmful if swallowed. May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Ha117 May cause an allergic skin reaction. Ha18 Causes serious eye damage. Ha19 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace.		
May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Ha19 Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Ha10 Very toxic to aquatic life with long lasting effects. Ha11 Toxic to aquatic life with long lasting effects. Ha12 Harmful to aquatic life with long lasting effects. Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P266 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	-	
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. H223 Keep container tightly closed. Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H272 Contaminated work clothing should not be allowed out of the workplace.		
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H412 Keep away from heat, sparks, open flames and hot surfaces No smoking. H233 Keep container tightly closed. H240 Ground/bond container and receiving equipment. H241 Use explosion-proof electrical, ventilating and lighting equipment. H242 Use only non-sparking tools. H243 Take precautionary measures against static discharge. H264 Wash hands and other contacted skin thoroughly after handling. H270 Do not eat, drink or smoke when using this product. H272 Contaminated work clothing should not be allowed out of the workplace. H273 Avoid release to the environment.		
Causes serious eye damage. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment.		
Causes serious eye irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	-	
Nery toxic to aquatic life. Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. H210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment.		
H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
Harmful to aquatic life with long lasting effects. P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. Reep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P210 Keep away from heat, sparks, open flames and hot surfaces No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		<u> </u>
P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical, ventilating and lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	-	<u> </u>
P243 Take precautionary measures against static discharge. P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P261 Avoid breathing vapour or dust. P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P264 Wash hands and other contacted skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.	-	
P270 Do not eat, drink or smoke when using this product. P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P272 Contaminated work clothing should not be allowed out of the workplace. P273 Avoid release to the environment.		
P273 Avoid release to the environment.		
P280 Wear protective gloves/eye protection/face protection.		
	P301/310	
	P301/312	
1 7 1	P302/352	
	P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy do. Continue rinsing.	P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER or doctor/physician.	P310	Immediately call a POISON CENTER or doctor/physician.
P330 Rinse mouth.	P330	Rinse mouth.
P331 Do not induce vomiting.	P331	Do not induce vomiting.
P332/313 If skin irritation occurs: Get medical advice/attention.	P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313 If skin irritation or rash occurs: Get medical advice/attention.	P333/313	If skin irritation or rash occurs: Get medical advice/attention.





Version: 4 (25/08/2019)

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: MINT & ROSE FRAGRANCE

Version: 4

P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

CRAFTOVATOR MINT & ROSE (10% in NON HAZARDOUS BASE)

Harmful to aquatic life with long lasting effects. Avoid release to the environment. Dispose of contents/container to approved disposal site, in accordance with local regulations. Contains 4-TERT-BUTYLCYCLOHEXYL ACETATE, ALPHA-ISOMETHYL IONONE, CITRONELLOL, EUGENOL, GERANYL ACETATE, LINALOOL, TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES. May produce an allergic reaction.