

SAFETY DATA SHEET

CRYSTAL ST

Page: 1

Compilation date: 11/06/2013

Revision date: 04/06/2019

Revision No: 8

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: CRYSTAL ST

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC39: Cosmetics, personal care products.

1.3. Details of the supplier of the safety data sheet

Company name: Craftovator Studio

Imperial Supply Ltd. Common Lane, Industrial Estate, Kenilworth, CV8 2EL, United Kingdom

Tel: +44 1926 291009

Email: info@craftovator.co.uk

1.4. Emergency telephone number

Emergency tel: +44 1926 291009

Section 2: Hazards identification

2.1. Classification of the substance or mixture

Classification under CLP: This product has no classification under CLP.

2.2. Label elements

Label elements:

Precautionary statements: P102: Keep out of reach of children.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.



CRAFTING EXCELLENCE

SAFETY DATA SHEET

CRYSTAL ST

Page: 2

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

SODIUM ALKYL ETHER SULPHATE - REACH registered number(s): 01-2119488639-16-0020

EINECS	CAS	PBT / WEL	CLP Classification	Percent
500-234-8	68891-38-3	-	Skin Irrit. 2: H315; Eye Dam. 1: H318;	5-20%
			Aquatic Chronic 3: H412	

SODIUM LAURYL SULPHATE

205-788-1	151-21-3	-	Acute Tox. 4: H302+H332; Skin Irrit. 2:	1-2%
			H315; Eye Dam. 1: H318; Aquatic	
			Chronic 3: H412; STOT SE 3: H335;	
			Flam. Sol. 2: H228	

Section 4: First aid measures

4.1. Description of first aid measures				
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash			
	immediately with plenty of soap and water.			
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist			
	examination.			
Ingestion:	Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water			
	to drink immediately. Consult a doctor.			
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a			
	doctor.			
4.2. Most important symptoms	and effects, both acute and delayed			
Skin contact:	There may be irritation and redness at the site of contact.			
Eye contact:	There may be pain and redness. The eyes may water profusely. There may be severe			
	pain. The vision may become blurred. May cause permanent damage.			
Ingestion:	There may be soreness and redness of the mouth and throat. Nausea and stomach			
	pain may occur.			
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.			
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.			
4.3. Indication of any immediate medical attention and special treatment needed				

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.



CRAFTING EXCELLENCE

SAFETY DATA SHEET

CRYSTAL ST

Page: 3

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised

personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Do not create dust.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Transfer to a closable, labelled salvage container for disposal by an appropriate

method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of dust in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

Workplace exposure limits: No data available.

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency. Respiratory

protective device with particle filter.



SAFETY DATA SHEET

CRYSTAL ST

	Page: 4				
Hand protection:	Protective gloves.				
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.				
Skin protection:	Protective clothing.				
Section 9: Physical and chemical properties					
9.1. Information on basic physical and chemical properties					
State:	Solid				
Colour:	Transparent				
Solubility in water:	Miscible				
Boiling point/range°C:	100Melting point/range°C:50 - 60				
pH:	9.5-10.5				
9.2. Other information					
Other information:	No data available.				
Section 10: Stability and reactivity					
10.1. Reactivity					
Reactivity:	Stable under recommended transport or storage conditions.				
10.2. Chemical stability					
Chemical stability:	Stable under normal conditions.				
10.3. Possibility of hazardous reactions					

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

SODIUM ALKYL ETHER SULPHATE

ORL		RAT	LD50	4000	mg/kg	
-----	--	-----	------	------	-------	--



SAFETY DATA SHEET

CRYSTAL ST

DRAL	RAT	LD50	>2000	mg/kg
Toxicity values:	No data available.			
ymptoms / routes of exposur	e			
Skin contact:	There may be irritation	and redness at the site of o	contact.	
Eye contact:	There may be pain an	d redness. The eyes may wa	ater profusely. There n	nay be severe
	pain. The vision may become blurred. May cause permanent damage.			
Ingestion:	There may be sorenes	s and redness of the mouth	and throat. Nausea a	nd stomach
	pain may occur.			
Inhalation:	There may be irritation	of the throat with a feeling	of tightness in the che	st.
Delayed / immediate effects:	Immediate effects can	be expected after short-terr	m exposure.	
tion 12: Ecological informa	ation			
2.1. Toxicity				
Hazardous ingredients:				
SODIUM ALKYL ETHER SUL	PHATE			
	PHATE	96H I C50	1 - 10	ma/l
SODIUM ALKYL ETHER SUL	PHATE	96H LC50	1 - 10	mg/l
		96H LC50	1 - 10	mg/l
FISH		96H LC50 96H LC50	1 - 10	mg/l mg/l
FISH SODIUM LAURYL SULPHAT	E		1	
FISH	E		1	
FISH SODIUM LAURYL SULPHAT	E bility		1	
FISH SODIUM LAURYL SULPHATI FISH 2.2. Persistence and degrada	E bility Biodegradable.		1	
FISH SODIUM LAURYL SULPHATI FISH 2.2. Persistence and degrada ersistence and degradability:	E bility Biodegradable.	96H LC50	1	
FISH SODIUM LAURYL SULPHATE FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potentia	E bility Biodegradable.	96H LC50	1	
FISH SODIUM LAURYL SULPHAT FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potentia Bioaccumulative potential: 2.4. Mobility in soil	E bility Biodegradable. II No bioaccumulation po	96H LC50	1	
FISH SODIUM LAURYL SULPHATE FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potential Bioaccumulative potential:	E bility Biodegradable. II No bioaccumulation po	96H LC50	1	
FISH SODIUM LAURYL SULPHAT FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potentia Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB	E bility Biodegradable. al No bioaccumulation po assessment	96H LC50	3-20	
FISH SODIUM LAURYL SULPHAT FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potentia Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB	E bility Biodegradable. al No bioaccumulation po assessment	96H LC50 Dtential.	3-20	
FISH SODIUM LAURYL SULPHAT FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potential Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB PBT identification:	E bility Biodegradable. al No bioaccumulation po assessment This product is not ide	96H LC50 Dtential.	3-20	
FISH SODIUM LAURYL SULPHATE FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potential: Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB PBT identification: 2.6. Other adverse effects Other adverse effects:	E bility Biodegradable. al No bioaccumulation po assessment This product is not ide Negligible ecotoxicity.	96H LC50 Dtential.	3-20	
FISH SODIUM LAURYL SULPHATE FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potential: Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB PBT identification: 2.6. Other adverse effects: Other adverse effects: tion 13: Disposal consider	E bility Biodegradable. al No bioaccumulation po assessment This product is not ide Negligible ecotoxicity. ations	96H LC50 Dtential.	3-20	
FISH SODIUM LAURYL SULPHATE FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potential: Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB PBT identification: 2.6. Other adverse effects Other adverse effects:	E bility Biodegradable. al No bioaccumulation po assessment This product is not ide Negligible ecotoxicity. ations	96H LC50 Dtential.	3-20	
FISH SODIUM LAURYL SULPHATE FISH 2.2. Persistence and degrada ersistence and degradability: 2.3. Bioaccumulative potential: Bioaccumulative potential: 2.4. Mobility in soil 2.5. Results of PBT and vPvB PBT identification: 2.6. Other adverse effects: Other adverse effects: tion 13: Disposal consider 3.1. Waste treatment methods	E bility Biodegradable. al No bioaccumulation po assessment This product is not ide Negligible ecotoxicity. ations s	96H LC50 Dtential.	ance.	mg/l

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.



CRAFTING EXCELLENCE

SAFETY DATA SHEET

CRYSTAL ST

Section 14: Transport information

Transport class: This product does not require a classification for transport.

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.
	Nature of Revision - Reach Regulations
	All the ingredients used in the mixture is listed on AICS.
Phrases used in s.2 and s.3:	H228: Flammable solid.
	H302+H332: Harmful if swallowed or if inhaled
	H315: Causes skin irritation.
	H318: Causes serious eye damage.
	H335: May cause respiratory irritation.
	H412: Harmful to aquatic life with long lasting effects.
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.